




DIAMOND DEVIL™ MALISH

FAST. FIERCE. EFFECTIVE.
CONCRETE RESTORATION AND POLISHING SYSTEM.





SELECT THE APPROPRIATE TOOL ACCORDING TO THE CURRENT CONDITION OF YOUR CONCRETE.



Concrete that's even with few rough spots, start with the Blue Grind Tool




Concrete that's smooth but dull, start with the Green Hone Tool



Concrete that's smooth and even, start with the Tan Polish Tool




Concrete with an even satin/polish finish, start with the Red Shine Tool



**YOUR SERVICE BAY CONCRETE
COULD LOOK LIKE THIS!**

**Results may vary based on condition of concrete.*



ATTACH POLISHING TOOLS

LOOKING at MACHINE from OPERATORS POSITION, DETERMINE COUNTER-CLOCKWISE (CCW) and CLOCKWISE (CW) ROTATION of YOUR MACHINE – Consult Owners Manual.

BE SURE TO ATTACH PROPER TOOL TO THE CORRECT SIDE. IF TOOL IS MOUNTED ON WRONG SIDE, TOOL OR MACHINE DAMAGE MAY OCCUR.



**First (If Required)
GRIND TOOL
(BLUE COLOR)**

USE THE GRIND TOOLS (BLUE COLOR)
Use daily for a minimum of two weeks or more.

GRIND TOOL



**Second (If Required)
HONE TOOL
(GREEN COLOR)**

USE THE HONE TOOLS (GREEN COLOR)
Use daily for a minimum of two weeks or more.

HONE TOOL



**Third
POLISH TOOL
(NATURAL COLOR)**

USE THE POLISH TOOLS (NATURAL COLOR)
If stopping at standard satin finish, re-order as maintenance tool.
When black wear indicator shows, it's time to replace. (Figure A)

POLISH TOOL



**Fourth
SHINE TOOL
(RED COLOR)**

USE THE SHINE TOOLS (RED COLOR)
Re-Order as your maintenance tool.
When black wear indicator shows, it's time to replace. (Figure A)

SHINE TOOL



MACHINE SETTINGS



HIGHEST WATER



LOWEST PRESSURE

BLACK WEAR INDICATOR





Figure A

DIAMOND DEVIL™ MALISH

FAST. FIERCE. EFFECTIVE.
CONCRETE RESTORATION AND POLISHING SYSTEM.



Choose the correct tools for your current auto scrubber.

Important Notes:

- Tools are rotation-specific; please see the Diamond Devil® literature sheet section “Attach Polishing Tools” to ensure the tools [1 Clockwise (CW) and 1 Counter-Clockwise (CCW)] are mounted correctly onto the machine. If tools are mounted to the wrong side, tool and/or machine damage may occur.
- If your specific auto scrubber is not listed below, order a set of “Miscellaneous Machine” tools. To guarantee you receive the correct tools, include the machine make and model number when ordering.
- Auto scrubbers require a set of 2 tools per machine: 1 Clockwise (CW) & 1 Counter-Clockwise (CCW)

TENNANT 5680

Item #	Description
802-50214CWG400X	14" GRIND BLUE CW
802-50214CCWG400X	14" GRIND BLUE CCW
802-50414CWG400X	14" HONE GREEN CW
802-50414CCWG400X	14" HONE GREEN CCW
802-50614CWG400X	14" POLISH NATURAL CW
802-50614CCWG400X	14" POLISH NATURAL CCW
802-50814CWG400X	14" SHINE RED CW
802-50814CCWG400X	14" SHINE RED CCW

NSS WRANGLER 26

Item #	Description
802-50213CWL800T	13" GRIND BLUE CW
802-50213CCWL800T	13" GRIND BLUE CCW
802-50413CWL800T	13" HONE GREEN CW
802-50413CCWL800T	13" HONE GREEN CCW
802-50613CWL800T	13" POLISH NATURAL CW
802-50613CCWL800T	13" POLISH NATURAL CCW
802-50813CWL800T	13" SHINE RED CW
802-50813CCWL800T	13" SHINE RED CCW

MISCELLANEOUS MACHINES*

NILFISK WARRIOR 32

Item #	Description
802-50215CWL800	15" GRIND BLUE CW
802-50215CCWL800	15" GRIND BLUE CCW
802-50415CWL800	15" HONE GREEN CW
802-50415CCWL800	15" HONE GREEN CCW
802-50615CWL800	15" POLISH NATURAL CW
802-50615CCWL800	15" POLISH NATURAL CCW
802-50815CWL800	15" SHINE RED CW
802-50815CCWL800	15" SHINE RED CCW

Item #	Description
802-502XXCW	GRIND BLUE CW
802-502XXCCW	GRIND BLUE CCW
802-504XXCW	HONE GREEN CW
802-504XXCCW	HONE GREEN CCW
802-506XXCW	POLISH NATURAL CW
802-506XXCCW	POLISH NATURAL CCW
802-508XXCW	SHINE RED CW
802-508XXCCW	SHINE RED CCW

*Include machine make and model when ordering.