

EQUIPMENT Program

1.888.222.7997

BMWcentersolutions.com





OTC









CCTOOIS CAR CERTIFIED TOOL

The BMW Equipment Program Advantage

We Offer:

- OEM Approved Equipment Tailored to Meet Your Shop's Needs
- Experienced Personnel Industry-leading field sales organization. Our technical specialists will provide assistance on product selection, application, service and support for "One Stop Shopping" on all service department needs.
- Customer Service Support
 - World Class Service
 - Order/Delivery Status
 - Technical Support
- Equipment and Systems Planning Services

- Flexible Payment Options
 - DES Open Account
 - Financing & Leasing Programs
 - Major Credit Cards: Visa, MasterCard, American Express
 - Check, Money Order
- A Minimum One Year Parts and Labor Manufacturer's Warranty
- Factory Direct Shipments
- Installation & Training Assistance
- A One Stop Shop—We work for you!

The Complete Source for Your Service Center

For additional information on our special discounts or promos, contact 1-888-222-7997 or your local field representative.



Leasing Programs to Meet Your Needs

Whether you're expanding your Center or updating equipment, our 3rd party leasing partners offer some of the best lease rates available. Our partners are committed to unparalleled customer service and full facility leasing options. Call today for more information on the latest programs offered through Balboa Capital, GreatAmerica Financial Services Corporation and Huntington Vendor Finance.

Lowest payment pledge from Balboa Capital.



- Balboa will guarantee the lowest payment, apples to apples
- Funding available up to \$10MM
- Credit decisions in less than 1 hour for deals less than \$150k
- Convenient electronic documentation

David L. White 925-519-2932

GreatAmerica – **Helping** you get there.



Whether "there" means upgraded service equipment or new technology, GreatAmerica provides hassle-free financing tailored to meet your needs. Find out how centers across the country benefit from the GreatAmerica Experience.



Automotive Team
Call 800-487-3636
automotiveteam@greatamerica.com

Huntington Vendor Finance – Success Built on Trust.



- Knowledgeable industry expertise
- Competitive and convenient finance solutions
- Focus is on building relationships
- Direct financing and independent decision making

Paul Knowlton 415-933-9693 paul.knowlton@huntington.com









Personal Protection Equipment

Safety Rescue Hooks

Used for the retrieval of victims of electric shock, safeguarding the life of the rescuer The hook enables the victim to be pulled clear by gripping the arms, legs, armpits, ankles etc. Required in all live line areas as part of controlling measures following Health & Safety risk assessment.

Features:

- Universally popular rescue hook for the retrieval of victims of electric shock with a voltage rating of 1,000V.
- 1M length keeps rescuer safe from harm.
- Very popular in Electric and Hybrid Vehicle repair and service workshops.
- Dimensions: 25mm dia x 1,000mm.

521-RAE-ELE18 \$431.00



AS1000 FACESHIELD

Anti-scratch and anti-fog coatings support lens longevity, and our exclusive weight-balancing frame elevates comfort by reducing neck strain for users.

Features:

- Full color recognition.
- Anti-scratch.
- Honeywell Salisbury's exclusive weight Balancing frame.
- Anti-fog Bronze tint.

425-936954

\$165.00

Regular Price \$201.00



Insulated HV Gloves Kit, Large

HV Gloves Kit Includes: Red Class 0 Insulated Gloves 14" Leather Protectors Glove Bag

425-MSC62081344

\$235.00

Regular Price \$292.00



Also Available:

425-MSC62030044 Small

\$235.00

Regular Price \$292.00

425-MSC62081328 Medium

\$235.00

Regular Price \$292.00

425-MSC62133319

\$235.00

Regular Price \$292.00

3 ft. x 5 ft. Insulated EV Service Mat

Features:

- · Type: Switchboard Matting.
- Specification Type: ANSI/ASTM Type II Class 2.
- Maximum Dielectric Strength: 0.0V.
- Maximum Recommended Use Voltage: 400000.0V.
- · Overall Length: 5.0ft.
- · Surface Pattern: Corrugated.



425-MSC45597176 **\$220.00** Regular Price **\$**269.00



Serious Lift Capability for Every Service Job

10,000 lb. Two-Post Asymmetric Lift With AV Arms

Rotary's AV Arms allow you to properly lift any vehicle on recommended OEM pickup points. Get more vehicles in the shop and on the lift faster with easy spotting and superior lifting capabilities.

- Easily spot lower profile vehicles with the 3 3/8" minimum adapter height.
- All vehicle arms with increased reach.
- Reach small, specific pick-up points on EVs with enough clearance to remove propulsion batteries.
- High-strength tapered arms for easier and faster positioning of adapters compared to traditional arm designs.
- Front Arm Reach 18 1/2" min., 41" max
- Rear Arm Reach 27 5/8" min., 58 1/4 " max.
- Lift comes standard with round adapters, truck adapters and stacking extensions to lift, unibody, frame and EV.

39-SP0A10-AV **\$7,625.00** Regular Price \$8,146.00



Approved by BMW for use on EV vehicles.



Smart Lift Wide 10,000 lb. Inground Lift

Smart Lift Wide lift 10K lbs. Inground Lift with AV arms for all EV and ICE vehicles. LDS with Bench/Wall or Optional Pedestal when ordered with Lift (T110280BK).

- · Rotary Smart Lift is now even more versatile.
- Perfect combination for EV's, Low Profile Exotics, Unibody and Light Trucks
- Lift every type of vehicle on ONE LIFT.
- The industry's best access and clearance with 48% more under car access and 88" of space.
- Comes with interchangeable adapter options right out of the box.
- 10% greater arm sweep and 15% lower adapter height than any other inground in the market.

39-SLW210-AV **\$19,990.00**Regular Price \$20,943.00







Vehicle Lifts and Exhaust Extraction

10,000 lb. Versymmetric 2-Post Lift, Adjustable Width

- Versymmetric offset front arms provide directSPOT™ to vehicle lift points and safely lifts both symmetrically and asymmetrically within the same service bay, maximizing service capabilities and revenue potential.
- Oversized 5" diameter pulley and heavy duty 5/16" cable reduce stress on equalization system and increase cable life.
- 48" elongated carriage design increases lift life.
- Standard model fits 12 foot ceiling height. Additional 2 foot or 3 foot extensions available.
- · Padded overhead shut off system prevents vehicle damage.

67-CL10AV3

\$6,345.00

Regular Price \$6,917.00



10,000 lb. Wide Inground Lift

10,000 lb. hydraulic inground lifts provide an extra-wide drive-through clearance for servicing wide-bodied and electric vehicles. Its design allows for battery-lowering out of electric vehicles and comes standard with True 3-Stage arms and double-telescoping screw pads.

- 3-Stage arms and double-telescoping screw pads.
- 88" Drive Thru Clearance.
- The extra width provides technicians enough clearance to remove/ install battery and battery packs easily.

67-EW1020

\$16,650.00

Regular Price \$18,154.00









Approved by BMW for use on EV vehicles.

Harvey HRX Rail System for Exhaust Extraction

Custom Overhead Duct Rail System Package with Blower.

161-0VD-RL-SYS-PKG

Call for Quote







Car Wash Systems and Collision Repair



CTR9 208V Spot Welder

- Telescopic support arm is designed to ensure maximum freedom of movement
- Lightweight transformer gun made of reinforced fiberglass is designed for fastpaced activity, while at the same time reducing the strain on your body
- Ergo-grip fully-closed handle fastened at both ends enhances maneuverability and allows you to hold the gun in a relaxed way in every working position

Also Available:

200-CARNA90577 CTR9 460V Spot Welder

\$36,047.00



200-CARNA90576 CTR9 208V Spot Welder

\$36,047.00

FREE

Yoke A-Tong (200-CAR34826) and Adapter (200-CAR49790) with purchase of CTR9 208V (200-CARNA90576) or CTR9 460V (200-CARNA90577) – \$3,900 VALUE!

CAR-O-LINER®

Vision2 X3 Electronic Measuring Package

- The software measures upper and lower body points with state-of-the-art graphics.
- The software also provides point to point measuring with dimensional data, worldwide VIN decoding and suspension diagnosis.
- Multimedia support for the EVO™ universal system for anchoring, fixturing and holding.

200-CAR46733 **\$50,154.00**

value) OR 6m Measuring Bridge (200-CAR39636 - \$4,225 value) with purchase of Vision2 X3 Measuring System (200-CAR46733)

FREE

5m Measuring Bridge

(200-CAR39635 - \$3,600





Brake Service and Spot Welder

On Car Lathe - BMW Package

The X15 is the latest innovation in on-vehicle rotor matching. The all-new computer system provides disc tracking, maintenance alerts, and variable speed control. The X15 is the first and only rotor matching system in the world to be driven by a 48v DC motor. Expect smooth operation, tighter run-out tolerances, and superior surface finishes. The 48v DC difference is incredible!

Features:

- · Variable speed DC motor.
- Latest advanced electronics platform.
- · Performance plus cutting head.
- Patented one-touch Lateral Run Out (LRO) compensation.
- Six-LED on-board work light.
- 2 -year parts and labor warranty.

38-X15-2ADPBMW **\$15,795.00*** Regular Price \$16,360.00



By matching rotors not only are you increasing your profits, you are saving another rotor from the environment!

We offer no obligation, FREE ON SITE "DEMO" – Save us your toughest brake job and we will do it for FREE!



*Price includes trade-in.

GYSPOT PTI Genius

The G9 arm is a C-shaped arm that turns the clamp from a C movement to a X movement. It is designed to be highly ergonomic and easy to use, and allows the use of the AUTO mode of the GYSPOT BP.LG which automatically sets the spot weld parameters.

Features:

- · Quick set up with no tools required.
- No need to adjust the electrode.
- From G1 to G9 in less than 5 seconds.
- Automatic connection to the cooling system.
- Opening operated by the clamp.
- Integrated arm support (mounted on a trolley or wall).
- In automatic mode, the spot welder equipped with its G9 arm automatically determines the type of steel, the thickness of the sheet and the presence of glue and insulating material between the HLE/THLE, UHLE and boron sheets.
- Welding current: 13,000 A.
- Max. clamping force 550 daN at 8 bars with X1.
- Liquid cooling of electrodes and caps.
- Automatic mode compatible with 3 copper arms (X1, X2 and X6).

762-PES-024854 **\$29,550.00** Regular Price \$30,619.00





FREEG9 to X Arm Assembly (762-PES-02281) with purchase of GYSPOT PTI

Genius (762-PES-02485) - **\$42,800 VALUE!**





Starting and Brake Fluid Service

KwikStart Pro-HD

New Patented designed KwikStart with 7' DC field replaceable leads, 12V, 22Ar AGM battery provides up to 1700 peak amp/360 CCA of vehicle starting power. Built-in USB charging ports, and power port for charging everything from a cell phone or laptop to portable lighting.

Rugged design makes the case resistant to drops. Built-in accessory store area for charging cords or memory saver cords.

110-KS401

\$435.00

Regular Price \$538.00



ASSOCIATED

Mahle BFX-60 Brake Fluid Exchange Unit

FluidPRO® brake fluid flush systems deliver complete brake fluid exchange using simple processes.

Features:

- Constructed for larger volumes. The brake fluid is removed directly from its 16 gal original container.
- Fitted with the BFX PLUS extraction system.
- Fitted with an infinitely variable pressure suction tube with sieve.



- · Suitable for ABS, ESP, EDS and SBC.
- Pulsating fluid flow to pressurize air bubbles out of the braking system.
- Automatic switch-off on empty container.
- Pressure-less decoupling from vehicle.
- Venting of device during container changeover not necessary.
- Adapter available for all established vehicle types.

362-425 80012 00

\$2,649.00

Regular Price \$2,826.00



Mahle BFX-10 BMW Brake Fluid Bulk Dispensing Unit

In addition to the base Mahle BFX-10 Brake fluid exchange

unit, the BMW PN#362-425 80017 00 contains the appropriate hoses, fittings, adapters and siphon tubes needed for this unit to be used as a bulk brake fluid dispensing unit when paired with the Lincoln 905SF Metering Gun for Brake Fluid/Special Fluids (778-905SF, sold separately, see below).



362-425 800017 00 \$1,525.00 Regular Price \$1.629.00



778-905SFLincoln 905SF Metering Gun for Special Fluids (Brake Fluid)

\$835.00Regular Price \$1,034.00



Brake Service

2.5 Gallon Electric Brake Bleeder

Features:

- Easy to use, only one person needed for operation.
- Quick change of brake fluid.
- Suitable for all ABS systems (including EDS, ESP and SBC systems) and hydraulic couplings.
- · Pulsating liquid flow.
- Automatic low fluid level shut off to prevent air bubbles.
- Instantly depressurizes when switched off.
- Has an adjustable pressure regulator from 0-50 psi.
- Easy to steer around the shop.

801-STBBE2.5GAL **\$1,375.00** Regular Price \$1,571.00



4.0 Gallon Electric Brake Bleeder

Leakage test of the braking system in the low-pressure range. Suitable for all ABS systems (including EDS, ESP and SBC systems) and hydraulic clutches.

Features:

- Easy to use, only one person needed for operation. The brake fluid is hermetically separated from the outside air. A reduction in the boiling point is excluded.
- Automatic low fluid level shut off to prevent air bubbles.
- Instantly depressurizes when switched off.
- Has an adjustable pressure regulator from 0-50 psi.
- Comes with a 10ft pressure hose.
- 4.0 Gallon Canister.
- Easy to steer around the shop.
- Only one person needed for operation.
- · Pulsating fluid stream.







Tire, Wheel and AC Service

B1200P Automated Wheel Balancer

The B1200P wheel balancer with diagnostic functions for car dealerships with high tire service volume. With touchscreen monitor and automatic non-contact data entry. Unbalance measurement and run-out diagnosis are performed in a single fast measuring run.

Features:

- Touchscreen with advanced user interface.
- easyWEIGHT Pinpoint laser accurately.
- Automatic Inputs Optical scanners automatically measure the wheel.
- · Automatic balance measurement.
- Automatic behind the spoke weight placement.
- Patented automatic power clamp.
- · LED wheel lighting.
- Stop-in-Position feature where the operator only has to touch the amount of unbalance on the screen and the wheel is automatically indexed to correction position.
- · Collets.

119-EEWB567AUB

\$13,975.00

Regular Price \$17,213.00



T7800 All-In-One Tire Changer

The John Bean T7800 is a leverless tire changer featuring a unique collection of tools, including intuitive control panel, powerMONT™, lower bead camera viewer, on-floor bead breaker and quickLOK™ technology. It was engineered with superior functionalities that require less effort for technicians to operate and an advanced set of tools that only touch the tire, never the rim, minimizing the risk of damage when working with standard, UHP and run-flat tires.

119-EEWH586AUB **\$23,865.00** Regular Price \$29,489.00



R134A Hybrid A/C Machine

Ecotechnics fully automatic R134A hybrid A/C charging and recycling.

Features:

- Fully automatic operations with automatic service valves, meaning operator intervention is not required after the connection of hoses to the vehicle and the start of the procedure.
- Status light provides immediate information about the workflow status from a far distance allowing the technicians to monitor the operation while performing different activities.

119-EEAC820B **\$5,035.00** Regular Price \$5,961.00



Also Available: 119-EEAC830B

Ecotechnics YF1234 Hybrid A/C Machine with integrated gas analyzer.

\$6,350.00

Regular Price \$7,391.00





Service Equipment for Every Area of Your Shop

Press, 25-ton Air/Hydraulic Pump

- Tough, economical press is ideal for pressing rear axle bearings, piston pins and much more.
- Large 30" x 46" work area under ram makes positioning of even bulky work easy.
- Press bed is easily raised and lowered by a dependable lifting mechanism.

Also Available:

16-1833

Press with 25-ton hand pump

\$4,999,00

Regular Price \$5,313.00

16-1881

Accessory Set for 25-ton capacity presses

\$985.00

Regular Price \$1,132.00





\$5,185.00 Regular Price \$5,505.00

3-Ton Capacity Service Jack

Low-profile, compact design for easy and convenient positioning underneath vehicles. The sleek design can be used on vehicles with minimal ground clearance, ground effects, and low fairings without needing makeshift methods before lifting. Built-in safety overload system prevents use beyond the rated capacity for safer operation. Meets all 5 ASME PASE-2019 safety standards for service jacks.

- Lifting range: 2.95" 20"
- Saddle: 4" dia., steel crown
- Handle length: 46-1/4" with padded lower section
- Frame height: 6.3"
- Handle length: 46-1/4" with padded lower section
- Floor space: 13.5" x 28.5"
- Casters: 4; 2.4" front fixed (2), 2.4" rear swivel (2)
- Dual pump design provides quick lift with load.
- · Limited Lifetime Warranty



\$375.00

Regular Price \$440.00

3-Ton Jack Stands

These all-new 3-Ton Steel Jack Stands are constructed of a formed and welded high-quality steel base for strength to provide years of safe vehicle holding. Self-locking ratchet handle cannot be released under load and feature a wide range of locking heights and adjusting positions to provide a universal stand for most vehicles.

Sold as a pair.

16-S03

\$100.00

Regular Price \$121.00





Also Available:

16-S04 4-ton jack stands

\$165.00

Regular Price \$193.00





Air Conditioning Service and Accessories

Tracer Gas Leak Detector Service Kit

The Robinair Tracer Gas service kit gives technicians the tools necessary to use tracer gas in place of refrigerant to find A/C system leaks. The LD9-TGKIT includes a hydrogen gas leak detector with sensor technology designed to detect a 5% hydrogen/95% nitrogen tracer gas mixture. The detector's full color liquid crystal display (LCD) and sweep mode function convey messages, graphics, and prompts to help

technicians locate the source of a leak and ensure that the leak detector is always at optimal performance. A patented 3 LED inspection light aids in locating and inspecting suspected leak sources.

42-LD9-TGKIT **\$925.00**

Regular Price \$1,077.00



ROBINAIR

R-1234yf Advanced Recover, Recycle and Recharge Machine

The AC1234-4 is a fully automatic ACS machine that meets or exceeds SAE J2927 and J2843 standards for 1234yf recovery. The machine includes an integrated refrigerant identifier that samples the refrigerant in the vehicle's A/C system prior to recovery. AC1234-4 is a highly accurate and reliable machine capable of servicing both standard and high-voltage vehicle A/C systems.

Also Available:

42-AC1234-9Connected R-1234YF ACS Machine

\$7,920.00

Regular Price \$8,016.00



\$6,910.00Regular Price **\$6,991.00**



Coolant Refractometer

Used for measuring the freezing point of either propylene or ethylene glycol based cooling systems. It can also be used for checking the strength of electrolyte solution batteries. This

precision instrument features high-quality optics with ultra smooth focusing.

Scale range: 32°F (0°C) to -60°F (-51°C).

42-75240

\$95.00

Regular Price \$109.00

Premium Refrigerant Leak Detector

- Patented 3 LED UV lights with 395-415 nm wave length is optimum for a/c dye fluorescence.
- Unique color graphic LCD screen.
- User friendly message and error screens.
- High intensity LED inspection light.
- Audio mute function.

Also Available:

42-LD3

Economy Leak
Detector with loud
audible alert.

\$320.00Regular Price

\$366.00

42-LD5

Select Leak Detector with color graphic display, visual and audible alerts and LED inspection lights.

\$440.00

Regular Price \$506.00



42-LD7 **\$475.00** Regular Price \$545.00

Air Conditioning Accessories

42-18480

R-134A PAG Oil Injector – Used with 34788NI-H only.

\$120.00

Regular Price \$140.00

42-18490 R-134A POE Oil Injector – Used with

34788NI-H only. **\$120.00**

Regular Price \$140.00

42-13172

Spin-On Filter Maintenance Kit with 42-34724 filter. For 42-34788NI and 42-34788NI-H.

\$85.00

Regular Price \$93.00

1234YF Service

42-18460

R1234YF OIL INJECTOR - GENERIC

\$160.00

Regular Price \$187.00

42-18465

R1234YF oil injector – POE ND-11 labeled.

\$160.00

Regular Price \$187.00

42-18470

R1234YF POE oil only – syringe-type injector.

\$160.00

Regular Price \$187.00



Special Tools & Workshop Equipment

Three Tiers of Service

Tier 1: (Free of Charge)

Special Tool Room Evaluation

Conducted by BMW Group Equipment Program Field Representative to Maximize Shop Efficiency Tier 2: (Free of Charge)

Optimal Storage Solution Recommendations

Evaluation of Tool Storage System Options

Tier 3: (Paid Service)

Special Tool Room Evaluation

Using Special Tools Management App Bulk Upload or Other Approved Options

Tool Storage Options

BMW Tool Storage System -1 Cabinet

- 10 drawers with compartments for approx. 295 tools (tool size dependent).
- Overall dimensions 3' 4.25" wide x 28.5" deep x 88" high.

688-BMW0PTHW-1/10

\$5,850.00

Regular Price \$6,061.00



BMW Essential Tools Test Cable Cabinet

DW 1050 Housing with 11 Drawers and partitions and dividers to hold BMW Test Cables for essential tools.

688-BMWTCBLDW-1

\$6,105.00

Regular Price \$6,326.00

BMW Tool Storage 2 Cabinet System for Required Tools

- 22 drawers with compartments for over 680 tools.
- 22 drawers with compartments for over 680 tools.

688-BMWREQHW-2/24

\$12,270.00



Pivoting Display Panel, 4' X 7'

- Organizes special service tools visibly.
- Includes mounting hardware.

559-J-38780-MF1

S370.00

Regular Price \$454.00

Prices effective through December 31, 2025. Products are sold F.O.B. Shipping Point.

Additional Services

Special Tool Organization Services

Provided through Bosch's Engineering Analysis Associates.





Tool Organization System

- The TOS System includes tool boards, accessories, shelves, totes and other items to provide "The Complete Tool Room Solution."
- · Organizes required, optional and legacy special tools and includes room for growth.
- · Custom designed to fit your facility.
- · A typical BMW tool organization project takes just 5 - 6 days to complete.



Looking for support with your tool room layout and planning? Contact your BMW Group Equipment Program field representative today!

Efficiency is Everything

Expert service equipment and systems planning will optimize the flow of people, equipment and vehicles—at no extra cost to you!

Equipment & Systems Needs Consultation

Key project document detailing contact information, target launch/phase dates, building requirements and recommended shop equipment to enhance fixed operations.

Assessment

Four Proven Steps:

Detailed CAD Drawing

Includes detailed equipment and systems layout in service area as well as a lighting plan with photometric data.

Comprehensive Specifications & Budget

Includes detailed specifications for all major equipment called out in the Needs Assessment. Also includes a preliminary equipment and systems budget.

Project Coordination & Support

Single point of contact for service equipment and installation.

Most architects and contractors don't understand the needs of a service facility—we do!

Equipment and Systems Planning team members know service areas need to be set up to provide an optimal flow of people, equipment and vehicles into and out of the area. Because of our close partnership with the OEM, we know the BMW-approved equipment – where to place it for the best usage and work flow throughout the shop and how to get it installed.


Our experts will ensure your facility:

- Accommodates Future Vehicles
- Provides Layout Efficiency
- Maximizes Shop Throughput
- Meets OEM Design Criteria






Visualize your Service Department in 3D!







- Explore your shop design in beautiful real-time 3D prior to construction. Take a walk in the repair shop and see exactly how it will look in real life (via online web conference).
- Verify equipment color(s) suit your needs prior to purchase.
- ► Validate all selected equipment will fit and function properly within the Service Area without interference with the building infrastructure/mechanical systems.
- Realistic images allow comparison of key product selections, in-ground versus above ground lifts/exhaust systems, tool boxes and workbenches.



BMWcentersolutions.com





Area Business Consultants:



Manuel Medina 1 - Northwest Region (925) 297-5096 manny@dealerequip.com



Rheanna Breshears 2 – Southwest Region (559) 220-2650 rheanna@dealerequip.com



Walter McCormick
3 - Midwest Region
4 - South Central Region
(615) 545-2615
walter@dealerequip.com



Todd Steiner
5 - Eastern Central Region
(513) 638-8633
toddsteiner1@yahoo.com



Howard Mansdorf 6 - Northeast Region (516) 941-7887 hmansdorf@gmail.com



Robert James 7 – Southeast Region (407) 448-7560 rjames3536@cfl.rr.com