

Building or Renovating Your Workshop?

Ask us about our planning and financing packages! Visualize your Service Department in 3D.



1.888.458.4040 MBUSASSEP.com

Prices effective through September 30, 2025.

Promotion #MB25-44
Prices subject to change without notice.





Index

Air Conditioning Service and Accessories
Brake Service
Car Cleaning
Car Dollies, Vehicle Moving
Coolant Refractor
Floor Cranes
Oil Filter Crushers
Service Jacks and Jack Stands
Shop Press
Storage Solutions
Tire Changer
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
Wheel Alignment
Wheel Balancer 6

The Standard Service **Equipment Program** contains equipment approved by Daimler AG and Mercedes-Benz LLC, USA for use on Mercedes-Benz Vehicles.

The MBUSA SSEP Advantage

OEM Approved Equipment Tailored to Meet Flexible Payment Options Your Service Facility's Needs

Experienced Personnel

Industry-leading field sales organization. Our Field Service Consultants will provide assistance on product selection, application, service and support for a "One Stop Shopping Solution" on all service department needs.

Customer Service Support

- World Class Service
- Order/Delivery Status
- Technical Support

Equipment and Systems Planning Services

- Dealer Parts Account Billing
- DES Open Account
- Financing & Leasing Programs
- Major Credit Cards: Visa, MasterCard, American Express
- Check, Money Order

A Minimum One Year Parts and Labor Manufacturer's Warranty—The Best in the Industry

Factory Direct Shipments

Installation & Training Assistance

The Complete Source for Your Service Center.

For additional information on our special discounts or promos, contact 1-888-458-4040 or your local field representative.



Financing Programs to Meet Your Needs

Whether you're expanding your Dealership or updating equipment, our 3rd party financing partners offer some of the best rates available. Our partners are committed to unparalleled customer service and full facility financing options. Call today for more information on the latest programs offered through Balboa Capital, GreatAmerica Financial Services Corporation and Huntington Vendor Finance.

Lowest payment pledge from Balboa Capital.



- Balboa will guarantee the lowest payment, apples to apples
- Funding available up to \$10MM
- Credit decisions in less than 1 hour for deals less than \$150k
- Convenient electronic documentation

David L. White 925-519-2932

GreatAmerica - Helping you get there.





Whether "there" means upgraded service equipment or new technology, GreatAmerica provides hasslefree financing tailored to meet your needs. Find out how dealerships across the country benefit from the GreatAmerica Experience.

Automotive Team
Call 800-487-3636
automotiveteam@greatamerica.com

Huntington Vendor Finance - Success Built on Trust.



- Knowledgeable industry expertise
- Competitive and convenient finance solutions
- Focus is on building relationships
- Direct financing and independent decision making

Paul Knowlton 415-933-9693 paul.knowlton@huntington.com

Lease rates will vary. Please call for details. Offers valid between July 1, 2025 and September 30, 2025 only.







Fully-variable, hydraulic controls



Smart safety features



Unique SmartSet® toolhead



Automatic InflationStation





NEW-CAR RIDE.

Give your customers a match-mounted balance with the Hunter Road Force® Elite balancer and Revolution® tire changer.



SmartWeight® technology



Diagnostic load roller

MADEUSA



Fully variable hydraulic controls



Automatic InflationStation[™]





Contact your local consultant for more information, pricing or for assistance placing an order.



10,000 Two-Post Asymmetric Lift With AV Arms

Rotary's AV Arms allow you to properly lift any vehicle on recommended OEM pickup points. Get more vehicles in the shop and on the lift faster with easy spotting and superior lifting capabilities.

- Easily spot lower profile vehicles with the 3 3/8" minimum adapter height.
- · All vehicle arms with increased reach.
- Reach small, specific pick-up points on EVs with enough clearance to remove propulsion batteries.
- · High-strength tapered arms for easier and faster positioning of adapters compared to traditional arm designs.
- Front Arm Reach 18 1/2" min., 41" max
- Rear Arm Reach 27 5/8" min., 58 1/4 " max.
- · Lift comes standard with round adapters, truck adapters and stacking extensions to lift, unibody, frame and EV.

39-SPOA10-AV \$7,397.00

Dealer Price \$8,146.00



Smart Lift with Trio Arms

10,000 lb. capacity, wide drive-through in-ground lift with rubber adapters.

- Proven environmentally-friendly design with over 47,000 units in operation and a 13-year track record.
- Completely enclosed in polymer composite housing, protecting the environment from the lift and the lift from the environment.
- · Operates on only 19 quarts of fluid.
- Patented EasyAccess cylinder design reduces repair time by 75%.





\$11,910.00 Dealer Price \$12,986.00



T7800 All-In-One Tire Changer

The John Bean T7800 is a leverless tire changer featuring a unique collection of tools, including intuitive control panel, powerMONT $^{\text{TM}}$, lower bead camera viewer, on-floor bead breaker and quickLOK $^{\text{TM}}$ technology. It was engineered with superior functionalities that require less effort for technicians to operate and an advanced set of tools that only touch the tire, never the rim, minimizing the risk of damage when working with standard, UHP and run-flat tires.

- quickLOKTM The fast and effortless automatic wheel clamping with center post design.
- powerMONTTM The innovative, fast and easy-to-use leverless mount and demount system.
- Lower Bead Camera Viewer assists technicians during lower bead breaking operation.
- Dynamic Bead Breaker prevents wheel damage while enhancing precision and productivity with synchronized dual disks.
- Top Side Bead Seater Ergonomic nozzle injects high-speed air blasts into the tire, raising the bead to seal the tire to the rim.
- PROspeed[™] continuously monitors torque and automatically reduces speed during critical procedures.

- On-Floor Bead Breaker with powered handle gives an alternative option for use on soft sidewall and high aspect ratio tires.
- Pedal Operated Wheel Lift for easy mounting and dismounting of heavy tire and wheel assemblies and improved ergonomics.

119-EEWH586AUB

\$23,865.00

Dealer Price \$29,489.00



Mercedes Benz-Specific Aligner Console and Sensors

- The aligner is self-calibrating multiple times a second.
- The cameras automatically track with the vehicle as it is raised to produce the best accuracy and the most productivity a shop can have in a wheel aligner.
- Takes up less space in front of the vehicle
- Passive targets require no power and are more durable than active components mounted to the wheels.
- MB Quick Clamps ("MB-Schnellspannhalter") are fully supported and no rolling compensation is required. Simply mount the clamps and begin the adjustment process.
- AC700 wheel clamps are also provided standard. These clamps support a short rollback procedure for compensation of the wheel clamp and wheel assembly.
- System provides accurate measurements for all specific Mercedes Benz, Smart and Mercedes-Maybach vehicles. Vehicle specification updates are available through Daimler AG.
- Software with enhanced features and more convenient operation.
- · Compatible to asanetwork.
- Car-specific databases with setting aids of the past 25+ years.
- 3D measurement screen with all relevant data & CE conform.
- Finish RAL 7015.

119-EEWA553MB1

\$31,135.00

Dealer Price \$32,616.00



B1200P Automated Wheel Balancer

The B1200P wheel balancer with diagnostic functions for car dealerships with high tire service volume. With touchscreen monitor and automatic non-contact data entry. Unbalance measurement and run-out diagnosis are performed in a single fast measuring run.

Features:

- Touchscreen with Advanced User Interface.
- easyWEIGHT Pinpoint laser accurately.
- Automatic Inputs Optical scanners automatically measure the wheel.
- Automatic Balance Measurement.
- Automatic Behind the Spoke Weight Placement.
- Patented Automatic Power Clamp.
- LED Wheel Lighting.
- Stop-in-Position feature where the operator only has to touch the amount of unbalance on the screen and the wheel is automatically indexed to correction position.
- · Collets.



Dealer Price \$17,213.00





2,200 lb. Capacity **Fold-Away Floor Crane**

- Space-saving fold-away feature for storage. 16-7/8" lifting chain.
 - Lifetime Warranty.
- Adjustable leg spread for "close-in" work.
- Telescoping boom extension for added reach.
- · Equipped with two-speed hydraulic hand pump.

Also Available: 16-1820

4,400 lb. Capacity Floor Crane with 18-3/8" Lifting Chain.

\$7.765.00

Dealer Price \$8,136.00



5-Ton Capacity Service Jack

An extremely safe and durable long chassis 5-ton floor jack. Built-in safety overload prevents using the jack beyond its rated capacity. A convenient foot pedal speeds the lifting operation. Handle lock and release controls are located on top of the 40" spring-loaded handle. Handle can be locked into any position from vertical to horizontal. Cycle tested design for a long life of professional duty.

- 5-ton capacity
- Lifting range: 6" to 22"
- Saddle: 5-1/8" dia., round
- Reach: 47"
- Frame height: 7.9"
- Floor space: 15" x 56"
- Handle length: 43" 3-position with lock and release controls

Also Available:


16-HDI5P

5-ton air-operated service jack

\$1,569.00

Dealer Price \$1,674.00





· Limited Lifetime Warranty

16-HDJ5

\$1,375.00 Dealer Price \$1,465.00



10-ton Air Operated Oil Filter Crusher

- Crushes up to four automotive filters at one time, in just
- The generous size crushing chamber (9" high) easily accommodates the largest automotive spin-on filters on
- 100% air operation eliminates electrical connections.

16-1821

\$4,472.00

Dealer Price \$4,751.00

Press, 25-Ton Air/ **Hydraulic Pump**

- Tough, economical press is ideal for pressing rear axle bearings, piston pins and much more.
- Large 30" x 46" work area under ram makes positioning of even bulky work easy.
- · Press bed is easily raised and lowered by a dependable lifting mechanism.
- Choice of model with hand (16-1833) or air-driven hydraulic (16-1834) pump.



16-1833

Press with 25-ton hand pump

\$4,999.00

Dealer Price \$5,313.00

16-1881

Accessory Set for 25-ton capacity presses

\$985.00

Dealer Price \$1,132.00



Car Dolly

Provides easy movement of vehicles after removal of drivetrain. Sold in pairs.

- · Innovative design, clamps directly to pinch welds to prevent slippage during use.
- · Independent units eliminate the need to adjust dolly width for different véhicle désigns.
- · Each unit has an independently adjustable threaded lift saddle with rubber pads to protect the vehicle

16-1572

\$585.00

Dealer Price \$674.00

• Universal design for use on all vehicle types without additional

16-1834

\$5,185.00

Dealer Price \$5,505.00

- · Each unit has 1,800 lbs. capacity with low height of 9" and high of
- · May be used with or without tires on vehicle.







10-Ton Capacity Service Jack

The OTC 10-ton service jack has built-in safety overload to prevent over utilization beyond the jack's rated capacity. Also features a convenient foot pedal to speed the lifting operation. Handle lock and release control are located on top of the handle. Spring-loaded 43-1/4" handle can be locked into any position from vertical to horizontal. Cycle tested design for a long life of professional duty.

Also Available:

16-HDJ10P

service iack

10-ton air-operated

\$2,120.00

Dealer Price \$2,260.00

• Lifting range: 6.3" to 22"

• Reach: 51"

• Saddle: 6" dia., round

• Frame height: 9.8"

• Handle length: 43.25" 3-position with lock and release controls

 Casters: 4 – two 5.6" fixed front and two 3.6" mid-body swivel

• Floor space: 18" x 60"

Limited Lifetime Warranty



3-Ton Capacity Service Jack

Low-profile, compact design for easy and convenient positioning underneath vehicles. The sleek design can be used on vehicles with minimal ground clearance, ground effects, and low fairings without needing makeshift methods before lifting. Builtin safety overload system prevents use beyond the rated capacity for safer operation. Meets all 5 ASME PASE-2019 safety standards for service jacks. Backed by OTC Limited Lifetime warranty.

• Lifting range: 2.95" - 20"

• Saddle: 4" dia., steel crown

• Frame height: 6.1"

 Handle length: 46-1/4" with padded lower section

• Floor space: 13.5" x 28.5"

 Casters: 4; 2.4" front fixed two, 2.4" rear swivel two

 Dual pump design provides quick lift with load.

Limited Lifetime Warranty



\$1,725.00

Dealer Price \$1,841.00

3-Ton Jack Stands

These all-new 3-Ton Steel Jack Stands are constructed of a formed and welded high-quality steel base for strength to provide years of safe vehicle holding. Self-locking ratchet handle cannot be released under load and feature a wide range of locking heights and adjusting positions to provide a universal stand for most vehicles.

Sold as a pair.

16-S03 **\$105.00**

Dealer Price \$121.00



Also Available:

16-S04 4-ton jack stands

\$165.00

Dealer Price \$193.00







R-1234yf Advanced Recover, Recycle and Recharge Machine

The AC1234-4 is a fully automatic ACS machine that meets or exceeds SAE J2927 and J2843 standards for 1234yf recovery. The machine includes an integrated refrigerant identifier that samples the refrigerant in the vehicle's A/C system prior to recovery. AC1234-4 is a highly accurate and reliable machine capable of servicing both standard and high-voltage vehicle A/C systems.

42-AC1234-4 AC machine

\$6.910.00 Dealer Price \$6,991.00



Air-Conditioning Accessories

42-18480 R-134A PAG Oil Injector - Used with 34788NI-H only.

\$120.00

Dealer Price \$140.00

42-18490 R-134A POE Oil Injector - Used with 34788NI-H only.

\$120.00

Dealer Price \$140.00

42-13172 Spin-On Filter Maintenance Kit with 42-34724 filter. For 42-34788NI & 42-34788NI-H.

\$85.00 Dealer Price \$93.00

1234YF Service

42-18460 R1234YF OIL INJECTOR - GENERIC

\$165.00 **Dealer Price** \$187.00

42-18465 R1234YF oil injector - POE ND-11 labeled.

S165.00 **Dealer Price** \$187.00

42-18470 R1234YF POE oil only - syringe-type injector.

S165.00 Dealer Price \$187.00

Coolant Refractometer

Used for measuring the freezing point of either propylene or ethylene glycol based cooling systems. It can also be used for checking the strength of electrolyte solution batteries. This precision instrument features high-quality optics with ultra smooth focusing.

Scale range: $32 \,^{\circ}F$ (0 $^{\circ}C$) to -60 $^{\circ}F$ (-51 $^{\circ}C$).

42-75240 \$95.00

Dealer Price \$109.00







AC Flush Machine R134a and R1234yf

The flushing unit is suitable for cleaning components and A/C systems operating with R1234yf and R134a refrigerant. Such function is normally used when cleaning of A/C system hoses is required.

Features:

- · Works with most all AC Service Machines.
- Flushing Bottle with a stand-alone fixture for a flexible usage independent from the A/C Service Unit location and model.
- · Refrigerant Filter with easy-to-change access.
- Flushing control sight glass with an ergonomic positioning to check the flushing process and level of refrigerant purity.
- HP Hose-Port Adapter-Set for flexible usage with different A/C Service stations.
- Flushing Adapter-Set (3/8" + 1/4") to connect with different flushing ports and adapters at the A/C system/component.
- Coupler Adapter-Set (for R134a and R1234yf) to connect the LP couler at the flushing kit.

362-360 83182 00

\$835.00

Dealer Price \$962.00



ACX2180 - High Performance R134a Air Conditioning Service System

Features:

- State-of-the-art ergonomic design, 7" capacitive touch LCD display, and intuitive user interface sets a new industry standard.
- Contains three transducers, providing reduced process times over dual sensor units.
- LED light indicates status visible from anywhere in the workshop.
- · iOS and Android capable phone app allowing remote service session mirroring and advanced functions.
- Best-in-class serviceability with a new ergonomic hinged service door simplifies unit service.
- Permanent wireless automatic software updates, ensuring you always have the latest features.
- Automatic weighing of recovered oil, allowing accurate replenishment of oil removed during service and allows two oil types for injection.
- Integrated UV dye injection provides high level of A/C system leak detection.
- Remote support for technicians allows MAHLE to connect to a unit over WiFi for troubleshooting and advanced support.
- Data management and reporting metrics offers the ability to log and monitor services allowing analytics for proactive service reminders, refrigerant use optimization, warranty reporting and more.
- Every unit is built to be easily repaired by the owner and we proudly offer nationwide service centers and lifetime phone support coverage.
- Retain valuable service records, network printing capability to print services provided for customer.

362-460 80447 00

\$4,935.00

Dealer Price \$5,243.00









Open Leg Tech Bench

- Heavy-duty (12 gauge) stainless steel work surface.
- · With lower shelf, back and end guards.
- Adjustable height: High strength 16-gauge steel legs are adjustable in 1-inch increments between 30-3/4" to 36-3/4" with leveling feet for uneven surfaces.

450-WB130SS 48" x 28"

\$875.00

Dealer Price \$1,139.00

450-WB132SS 60" x 28"

\$1,045.00

Dealer Price \$1,269.00

450-WB134SS 72" x 28"

\$1,110.00

Dealer Price \$1,359.00

Battery Racks

Rivet span gravity-fed battery racks offer four levels of battery storage for first in/first out (FIFO) operation. 80 standard size battery capacity per unit.

450-A1-BR484872 48"w x 48"d x 72"h

\$1,625.00Dealer Price \$1,824.00

450-A1-BR483672 48"w x 36"d x 72"h

\$1,435.00Dealer Price \$1,613.00



Tire Racks

- Tires rest on angle beam will not roll off.
- Rivet Span design easy to assemble.

450-B60SETB37 Single Entry, 3 levels, 60"w x 12"d x 84"h

\$215.00

Dealer Price \$268.00

450-B60SETB40 Single Entry, 4 levels, 60"w x 12"d x 120"h

\$285.00

Dealer Price \$370.00









Products are sold E.O.B. shipping point

Prices effective through September 30, 2025.

Efficiency is Everything

Expert service equipment and systems planning will optimize the flow of people, equipment and vehicles—at no extra cost to you!

Equipment & Systems Needs Consultation Assessment

Key project document detailing contact information, target launch/phase dates, building requirements and recommended shop equipment to enhance fixed operations.

Four Proven Steps:

Detailed CAD Drawing

Includes detailed equipment and systems layout in service area as well as a lighting plan with photometric data.

Comprehensive Specifications & Budget

Includes detailed specifications for all major equipment called out in the Needs Assessment. Also includes a preliminary equipment and systems budget.

Project Coordination & Support

Single point of contact for service equipment and installation.

Most architects and contractors don't understand the needs of a service facility—we do!

Equipment and Systems Planning team members know service areas need to be set up to provide an optimal flow of people, equipment and vehicles into and out of the area. Because of our close partnership with the OEM, we know the MBUSA-approved equipment – where to place it for the best usage and work flow throughout the shop and how to get it installed.

Our experts will ensure your facility:


- Accommodates Future Vehicles
- Provides Layout Efficiency
- Maximizes Shop Throughput
- Meets OEM Design Criteria





Visualize Your Service Department in 3D!







- Explore your shop design in beautiful realtime 3D prior to construction. Take a walk in the repair shop and see exactly how it will look in real life (via online web conference).
- Verify equipment color(s) suit your needs prior to purchase.
- Validate all selected equipment will fit and function properly within the Service Area without interference with the building infrastructure/mechanical systems.
- Realistic images allow comparison of key product selections, in-ground versus above ground lifts/exhaust systems, tool boxes and workbenches.

Mercedes-Benz



1.888.458.4040 MBUSASSEP.com